# Department of Defense Standardization Program



# **ASSIST UPDATE**

(A bi-monthly summary of changes to the ASSIST document database)

**15 September 2007** 

(For the Period 1 September 2007 to 14 September 2007)

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <a href="http://assist.daps.dla.mil">http://assist.daps.dla.mil</a> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <a href="http://assist.daps.dla.mil/online/registration/registration.cfm">http://assist.daps.dla.mil/online/registration/registration.cfm</a>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <a href="http://assist.daps.dla.mil/online/news/AlertService.htm">http://assist.daps.dla.mil/online/news/AlertService.htm</a>.

			-				
NO			DISTRIBUTION			<b>&gt;</b> -	
LAST ACTION			IBG.	REA		ACTY	
ST			STR	FSC/AREA	MCA	PREP A	
-	DOCUMENT NUMBER	DOCUMENT TITLE			Ĭ		DATE
M M	MIL-DTL-63268B MIL-DTL-7750C	Plug, Shock Attenuating and Plug, Lifting, for M107 and M804 [CUST: AR] Housing, Parachute Ripcord [CUST: GL AS 99 GS8] [REVIEW: 11 AV MC MD]	A	1320 1670		AR GS8	03-JUL-2007 07-AUG-2007
M	QPL-23426-17 NOT 1	Tension Bar/Release Element, Aircraft Launching (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1720		AS	06-SEP-2007
1	A-A-52430 NOT 3 A-A-52082C	Pads, Cushioning: Personnel-Protection, Vehicular (Metric) [CUST: AT CC] Tape, Lacing and Tying, TFE-Fluorocarbon [CUST: GL SH 99] [REVIEW: 71 AR AS CR CR4 MC MD MI OS]	A A	2590 4020	/	CC IS	06-SEP-2007 04-SEP-2007
M	QPL-85824-4 NOT 1	Life Raft, Inflatable, One Man Vee Bottom LRU-18/U (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4220		AS	05-SEP-2007
M	MIL-DTL-8794F(1)	Hose, Synthetic Rubber - Hydraulic Fluid, Fuel, and Oil Resistant [CUST: AV AS 99 CC] [REVIEW: 11 71 AT MC MI SA]	A	4720		CC	07-AUG-2007
	MIL-DTL-52618E SUP 1 NOT 1	Fittings, Pipe, Aluminum-Alloy (Threaded) 150-Pound: General Specification for [CUST: AT AS CC] [REVIEW: CE SA]		4730		CC	06-SEP-2007
	MIL-DTL-52618/1D NOT 1	Fittings, Pipe, Aluminum-Alloy (Threaded) 150-Pound 90 Degree Elbows, Tees, Crosses, 45-Degree Elbows and Couplings (Straight Sizes) [CUST: AT AS CC] [REVIEW: CE SA]				CC	06-SEP-2007
	MIL-DTL-52618/2D NOT 1	Fittings, Pipe, Aluminum-Alloy (Threaded) 150-Pound Reducers and Close and Open Pattern Return Bends (Straight Sizes) [CUST: AT AS CC] [REVIEW: CE SA]				CC	06-SEP-2007
	MIL-DTL-52618/3D NOT 1	Fittings, Pipe, Aluminum-Alloy (Threaded) 150-Pound 90 Degree Elbows (Reducing Sizes) [CUST: AT AS CC] [REVIEW: CE SA]				CC	06-SEP-2007
	MIL-DTL-52618/4D NOT 1	Fittings, Pipe, Aluminum-Alloy (Threaded) 150-Pound Tees (Reducing Sizes) [CUST: AT AS CC] [REVIEW: CE SA]		4730		CC	06-SEP-2007
	MIL-DTL-52618/5D NOT 1	Fittings, Pipe, Aluminum-Alloy (Threaded) 150-Pound 90-Degree and 45-Degree Street Elbows [CUST: AT AS CC] [REVIEW: CE SA]		4730		CC	06-SEP-2007
	MIL-F-52618/6D NOT 1	Fittings, Pipe, Aluminum-Alloy (Threaded) 150-Pound Caps [CUST: AT AS CC] [REVIEW: CE SA]		4730		CC	06-SEP-2007
	MIL-F-52618/7D NOT 1	Fittings, Pipe, Aluminum-Alloy (Threaded) 150-Pound Square Head and Square Socket Plugs [CUST: AT AS CC] [REVIEW: CE SA]		4730		CC	06-SEP-2007
M	MIL-DTL-52618/8D NOT 1	Fittings, Pipe, Aluminum-Alloy (Threaded) 150-Pound Outside Head, Inside Head, and Face Bushings [CUST: AT AS CC] [REVIEW: CE SA]	A	4730		CC	06-SEP-2007
M	MIL-DTL-52618/9B NOT 1	Fittings, Pipe, Aluminum-Alloy (Threaded) 150-Pound Crosses (Reducing Sizes) [CUST: AT AS CC] [REVIEW: CE SA]	A	4730		CC	06-SEP-2007
M	QPL-93-109 NOT 1	Resistors, Fixed, Wire-Wound (Accurate), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CC	07-SEP-2007
M	MIL-PRF-123/13D	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS54 [CUST: EC 19 CC NA]	A	5910		CC	31-AUG-2007
М	QPL-25-74 NOT 1	Capacitors, Fixed, Paper-Dielectric, Direct Current (Hermetically Sealed in Metal Cases), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910		CC	07-SEP-2007
M	QPL-15160-69 NOT 1	Fuses, Instrument, Power, and Telephone General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5920		CC	07-SEP-2007
M	QPL-641-67 NOT 1	Jacks, Telephone General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		CC	07-SEP-2007
M	QPL-38999-99 NOT 1	Connectors, Electrical, Circular, Miniature, High Density, Quick Disconnect (Bayonet, Threated, and Breech Coupling), Environment, Resistant, Removable Crimp and Hermetic Solder Contacts, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		CC	07-SEP-2007
M	MS21422D	Coils, Radio Frequency, Molded, Fixed, Sub-Miniature, Types LT4K496 to LT4K520 Incl. [CUST: CR EC 11 CC] [REVIEW: 19]	A	5950		CC	31-AUG-2007
M	MS21423D	Coils, Radio Frequency, Molded, Fixed, Sub-Miniature, Types LT4K521 to LT4K545 Incl. [CUST: CR EC 11 CC] [REVIEW: 19]	A	5950		CC	31-AUG-2007
M	MS21424D	Coils, Radio Frequency, Molded, Fixed, Sub-Miniature, Type LT4K546 to LT4K570 [CUST: CR EC 11 CC] [REVIEW: 19]	A	5950		CC	31-AUG-2007
M	MS21426C	Coils, Radio Frequency, Molded, Fixed, Micro-Miniature, Magnetically Shielded, (Iron Core-Iron Sleeve), Types LT10K518 to LT10K554 [CUST: EC 11 CC] [REVIEW: 19]	A	5950		CC	24-AUG-2007
M	MS21427C	Coils, Radio Frequency, Molded, Fixed, Micro-Miniature, Magnetically Shielded, (Ferrite Core - Ferrite Sleeve), Type LT10K [CUST: CR EC 11 CC] [REVIEW: 19]	A	5950		CC	24-AUG-2007
1	MIL-PRF-1/29E NOT 1	Electron Tube, Receiving Type 1Z2 [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG CR4 OS]	A			CC	06-SEP-2007
	MIL-PRF-1/37E NOT 1 MIL-PRF-1/1640D NOT 1	Electron Tube, Power Type 8166 [CUST: CR EC 11 CC] [REVIEW: 99 AS AV CG MC OS SH] Electron Tube, Magnetron Type 8855 [CUST: CR EC 11 CC] [REVIEW: AS CG MC OS]	A	5960 5960		CC CC	06-SEP-2007 06-SEP-2007
	MIL-PRF-1/1753B(1) NOT 1	Electron Tube Magnetron Type DOD-031 [CUST: CR EC 11 CC] [REVIEW: AS OS]	A	5960		CC	06-SEP-2007
M	MIL-PRF-1/1754B(1) NOT 1	Electron Tube, Magnetron Type DOD-032 [CUST: EC CC] [REVIEW: AS OS]	A	5960		CC	06-SEP-2007
	MIL-PRF-1/1755B(1) NOT 1 MIL-PRF-1/1756B NOT 1	Electron Tube, Magnetron Type DOD-033 [CUST: CR EC 11 CC] [REVIEW: AS OS] Electron Tube, Negative Grid (Microwave) Type 8964 1/ [CUST: EC CC] [REVIEW: AS CG OS SH]	A A	5960 5960		CC CC	06-SEP-2007 06-SEP-2007
1	MIL-PRF-1/1757B NOT 1	Electron Tube, Negative Grid (Microwave) Type 8965 [CUST: EC CC] [REVIEW: AS CG OS SH] Electron Tube, Negative Grid (Microwave) Type 8980 [CUST: EC CC]	A A	5960 5960		CC CC	06-SEP-2007
1	MIL-PRF-1/1766B NOT 1 MIL-PRF-19500/240N	Electron Tube, Negative Grid (Microwave) Type 8980 [CUS1: EC CC] Semiconductor Device, Diode, Silicon, Rectifier, Types 1N645-1, 1N647-1, 1N649-1, 1N645UR-1, 1N647UR-1, 1N649UR-1, JAN, JANTX, and JANTXV 1/ [CUST: CR EC 11 CC] [REVIEW: AR		5961		CC	06-SEP-2007 07-SEP-2007
		AS AV MC MI]				~~	
M	MIL-PRF-19500/255W	Semiconductor Device, Transistor, NPN, Silicon, Switching, Types 2N2221A, 2N2221AL, 2N2222A, 2N2222AUB, 2N2222AUB, 2N2222AUB, 2N2222AUB, 2N2222AUB, 2N2222AUBC, and 2N2222AUBC, JAN, JANJ, JANTX, JANTXV, JANTXVM, JANTXVD, JANTXVP, JANTXVL, JANTXVR, JANTXVF, JANTXVF, JANTXVF, JANTXVF, JANTXVF, JANTXVF, JANTXVF, JANTXVF, JANSE, JANSE, JANSE, JANSE, JANSE, JANSE, JANSE, JANSE, JANHC, JANHCD, JANHCP, JANHCP, JANHCR, JANHCF, JANHCF, JANHCH, JANKCP, JANKCP, JANKCP, JANKCF,	A	5961		CC	06-SEP-2007
M	MIL-PRF-19500/291R	Semiconductor Device, Transistor, PNP, Silicon, Switching, Types 2N2906A, 2N2906AL, 2N2907AL, 2N2907AUA, 2N2907AUA, 2N2907AUB, 2N2907AUB, 2N2907AUBC, JAN, JANTXV, JANJ, JANS, JANSM, JANSD, JANSP, JANSL, JANSR, JANSG, JANSH, JANHCB, JANHCD JANKCB, JANKCD JANKCBM, JANKCBD, JANKCBP, JANKCBL, JANKCBR, JANKCBF, JANKCBH [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	11-SEP-2007
15	SEP-2007	1					

15-SEP-2007 1

ACTIVE SECTION	ASSIST UPDATE					
LAST ACTION LAST ACTION	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M MIL-PRF-19500/376H	Semiconductor Device, Transistor, NPN, Silicon, Low-Power, Types 2N2484, 2N2484UA, 2N2484UB, 2N2484UBC, JAN, JANTX, JANTXV, JANS, JANSM, JANSD, JANSP, JANSL, JANSR, JANSF, JANSG, JANSH JANHCA, JANHCB, JANKCA, JANKCB, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCB, JANKC		5961		CC	12-SEP-2007
M MIL-PRF-19500/464F	Semiconductor Device, Transistor, NPN, Silicon Power, Types 2N5685 and 2N5686, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC] [REVIEW: 19 70 99 MI]	A	5961		CC	27-AUG-2007
M MIL-PRF-19500/533J	Semiconductor Device, Diode, Silicon, Voltage Regulator, Types 1N6309 through 1N6355; 1N6309US through 1N6355US, Plus C and D Tolerance Suffix, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC NA] [REVIEW: 19 99 TD]	A	5961		CC	04-SEP-2007
M MIL-PRF-19500/540C	Semiconductor Device, Darlington Transistor, PNP Silicon, Power, Types 2N6298 and 2N6299, JAN, JANTX, and JANTXV [CUST: 11 CC] [REVIEW: 19 71 99]	A	5961		CC	06-SEP-2007
M MIL-PRF-19500/578H	Semiconductor Device, Diode, Silicon, Switching, 1N6638, 1N6642, 1N6643, 1N6638U, 1N6642U, 1N6643U, 1N6638US, 1N6642US, 1N6643US, 1N6642UB, 1N6642UBC, 1N6	A	5961		CC	04-SEP-2007
M MIL-PRF-19500/609F	Semiconductor Device, Diode, Silicon, Switching, Types 1N6639, 1N6640, 1N6641, 1N6639US, 1N6640US, and 1N6641US, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC NA] [REVIEW: 19 71 AR AS MC MI SM]	A	5961		CC	15-AUG-2007
M MIL-PRF-19500/642D	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6762 Through 1N6765 and 1N6762R Through 1N6765R JANTX, JANTXV, and JANS [CUST: CR EC 11 CC NA]	A	5961		CC	24-AUG-2007
M MIL-PRF-19500/643C	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6766 and 1N6767, 1N6766R and 1N6767R JAN, JANTXV, and JANS [CUST: CR EC 11 CC NA]		5961		CC	24-AUG-2007
M MIL-PRF-19500/645C	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6772, 1N6773, 1N6772R and 1N6773R JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC NA]  Semiconductor Device, Field Effect Pediction Herdered (Total Dags and Single Field Effect)		5961 5961		CC	24-AUG-2007
M MIL-PRF-19500/707A  M A-A-59590/21A	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7500U5, 2N7501U5, and 2N7502U5, JANTXVR and JANSR [CUST: CR EC 11 CC NA] [REVIEW: 71 99 AV MI] Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .500 X .450 Inch Body		5998	/	CC	06-SEP-2007 11-SEP-2007
M A-A-59590/22A	Size [CUST: CR EC 11 CC] [REVIEW: 99] Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive .500 X .450 Inch Body		5998		CC	11-SEP-2007
	Size, with Visual Lock Indication [CUST: CR EC 11 CC] [REVIEW: 99]  Meter, Time Totalizing (Replaced by the Qualified Products Database (QPD) see Notice for	A		,		
M QPL-7793-36 NOT 1 M QPL-29576-2 NOT 3	Additional Information)  Cylinders, Steel, Compressed Gas, Non-Shatterable, Welded (Replaced by the Qualified Products		8120		AS AS	29-AUG-2007 28-AUG-2007
	Database (QPD) see Notice for Additional Information)					
M MIL-DTL-3628/146A N MIL-DTL-3628/245	Badge, Identification, Officer in Charge, U.S. Public Health Service [CUST: IH] [REVIEW: CT] Badge, Identification, National Security Agency [CUST: IH] [REVIEW: CT]	1	8455 8455		IH IH	05-SEP-2007 10-SEP-2007
M MIL-DTL-3943/24H N MIL-DTL-3943/328	Decoration, Purple Heart [CUST: IH NU 11] [REVIEW: 99 CG CT MC]	A			IH	10-SEP-2007
N MIL-DTL-1589/617	Medal, Combat Action, Air Force [CUST: IH 11] [REVIEW: CT] Ribbon, Combat Action, Air Force [CUST: IH 11] [REVIEW: 99]	A			IH IH	01-SEP-2007 30-AUG-2007
M QPL-85633-5 NOT 1	Coveralls, Flyers, Anti-Exposure, CWU-62B/P, CWU-74/P, CWU-62C/P CWU-86/P and CWU-	A	8475		AS	10-SEP-2007
M QPL-8184-19(1) NOT 1	87/P (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information) Plastic Sheet, Acrylic, Modified (Replaced by the Qualified Products Database (QPD) see Notice for	A	9330		AS	10-SEP-2007
N DSP-CS-15	Additional Information) The Virginia Class Submarine Program	A	SDMP		so	N/A

15-SEP-2007

HVICTIVE	BUTTOTY	ABBIST CLEATE				
NOI			DISTRIBUTION		<b>&gt;</b>	
ACT			RIBU	\REA	ACTY	
LAST ACTION	/IRER	DOCUMENT TITLE	ISTI	FSC/AREA	MCA PREP	DATE
M MIL-R-25170B(1)	NOT 2	Release, Automatic, Aircraft Safety, Lap Belt [CUST: 99 GS]	A	1680	11	06-SEP-2007
M MIL-DTL-52011G( M MS21401D	(1)	Filter, Particulate, 12 CFM, M13 [CUST: EA] Coils, Radio Frequency, Molded, Fixed, Micro-Miniature, Magnetically Shielded, (Ferrite Core-Ferrite Sleeve), Types LT10K483 to LT10K517 Incl. [CUST: CR EC 11 CC] [REVIEW: 19 99 AR	A A	4240 5950	EA CC	06-SEP-2007 31-AUG-2007
M MS21402E		MI] Coils, Radio Frequency, Molded, Variable, Subminiature, Ferrite Core, Magnetically Shielded,	A	5950	CC	31-AUG-2007
M MS53229B		Types LT10V210 to LT10V246 Incl. [CUST: CR EC 11 CC] [REVIEW: 19] Coils, Radio Frequency, Molded, Encapsulated, Variable, Micro-Miniature, Iron Core, Types LT11V001 to LT11V021 Incl. [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH]	A	5950	CC	24-AUG-2007
M MS53230B		Coils, Radio Frequency, Encapsulated, Variable, Micro-Miniature, Ferrite Core, Type LT11V022 to LT11V038, Incl. [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH]	A	5950	CC	24-AUG-2007
M MS53231B			A	5950	CC	24-AUG-2007
M MS53232B		Coils, Radio Frequency, Encapsulated, Variable, Micro-Miniature, Ferrite Core, LT11V060 to LT11V076, Incl. [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH]	A	5950	CC	31-AUG-2007
M MS53233A		Coils, Radio Frequency, Encapsulated, Variable, Micro-Miniature, Iron Core, Types LT11V077 to LT11V097, Incl. [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH]	A	5950	CC	31-AUG-2007
M MS53234A		Coils, Radio Frequency, Encapsulated, Variable, Micro-Miniature, Ferrite Core, Types LT11V098 to LT11V114, Incl. [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH]	A	5950	CC	31-AUG-2007
M MS75008F		Coils, Radio Frequency, Molded, Fixed, Subminiature (Phenolic Core), LT4K027 to LT4K039 Incl. [CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950	CC	31-AUG-2007
M MS75052D		Coils, Radio Frequency, Molded, Fixed, Subminiature (Phenolic Core), LT4K052 to LT4K053 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS]	A	5950	CC	31-AUG-2007
M MS75083E		Coils, Radio Frequency, Molded, Fixed, (Phenolic Core), LT4K339 to LT4K351, Incl. [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950	CC	31-AUG-2007
M MS75084E		Coils, Radio Frequency, Molded, Fixed, (Iron Core), Types LT10K061 to LT10K077, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950	CC	31-AUG-2007
M MS75085E		Coils, Radio Frequency, Molded, Fixed, (Ferrite Core), Types LT10K078 to LT10K096, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950	CC	31-AUG-2007
M MS75087D		Coils, Radio Frequency, Molded, Fixed, Micro-Miniature, Magnetically Shielded, (Phenolic Core - Iron Sleeve), Types LT10K191 to LT10K202, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950	CC	31-AUG-2007
M MS75088D		Coils, Radio Frequency, Molded, Fixed, Micro-Miniature, Magnetically Shielded, (Iron Core-Iron Sleeve), Types LT10K203 to LT10K216, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950	CC	31-AUG-2007
M MS75089D		Coils, Radio Frequency, Molded, Fixed, Micro-Miniature, Magnetically Shielded, (Ferrite Core-Ferrite Sleeve), Types LT10K217 to LT10K263, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950	CC	07-SEP-2007
M MS75101C		Coils, Radio Frequency, Molded, Fixed, Subminiature (Iron Core), Types LT10K169 to LT10K180, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950	CC	07-SEP-2007
M MS75103A		Coils, Radio Frequency, Molded, Fixed, Subminiature (Iron Core), Types LT10K181 to LT10K190, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH]	A	5950	CC	07-SEP-2007
M MS90537B		Coils, Radio Frequency, Molded, Subminiature, Shielded, Magnetic, Types LT4K242 to LT4K314 [CUST: CR EC 11 CC] [REVIEW: 99 MI]	A	5950	CC	07-SEP-2007
M MS90538C		Coils, Radio Frequency, Molded, Fixed, Subminiature (Iron Core), Types LT10K001 to LT10K021, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH]	A	5950	CC	07-SEP-2007
M MS90539D		Coils, Radio Frequency, Molded, Fixed Subminiature (Iron Core), Types LT10K022 to LT10K036 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH]	A	5950	CC	07-SEP-2007
M MS90540B		Coils, Radio Frequency, Molded, Fixed Subminiature (Iron Core), Types LT10K037 to LT10K049, Inclusive [CUST: CR EC 11 CC] [REVIEW: 99 MI]	A	5950	CC	07-SEP-2007
M MS90541B		Coils, Radio Frequency, Molded, Fixed Subminiature (Iron Core), Types LT10K050 to LT10K060, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5950	CC	07-SEP-2007
M MS90542C		Coils, Radio Frequency, Molded, Fixed Subminiature (Phenolic Core), Types LT4K315 to LT4K327, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS]		5950	CC	07-SEP-2007
M MS90543B		Coils, Radio Frequency, Molded, Variable, Powdered Iron Core (Printed Circuit Mounting), Types LT12V001 to LT12V031, Inclusive [CUST: CR EC 11 CC] [REVIEW: AR AS CG CR4 MC MI OS	A	5950	CC	07-SEP-2007
M MS90546B		SH] Coils, Radio Frequency, Molded, Variable, Ferrite Core (Print Circuit Mounting), Types LT12V032 to LT12V062, Inclusive [CUST: CR EC 11 CC] [REVIEW: AS AT CG CR4 MC MI OS SH]	A	5950	CC	07-SEP-2007
M MS91189E		Coils, Radio Frequency, Molded, Fixed Subminiature (Phenolic Core), Types LT4K002 to LT4K016, Inclusive [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS]	A	5950	CC	07-SEP-2007
M MIL-DTL-49104B		Cable, Telephone WD-1A/TT (Field Wire, Parallel Pair) [CUST: CR CC]		6145	CC	16-JUL-2007
M MS25215 NOT 2 M MIL-DTL-51384C		Light Assembly, Upward Recognition [CUST: AS 99] [REVIEW: GS]  Alarm Unit, Chemical Agent Automatic Alarm: ABCA - M42 [CUST: EA SH 99]	A C	6220 6665	AS EA	13-SEP-2007 29-AUG-2007
L		I .	_			

15-SEP-2007

#### **CANCELED SECTION**

#### ASSIST UPDATE

CANCELED SECTION	ASSIST UPDATE					
N OCT	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M MS29584THRUMS29587C NOT 2	Pump, Rotary, Power Driven, Fuel, Aircraft (Taper Threaded Ports) (No S/S Document) [CUST: AV AS 71] [REVIEW: 99]	_	2915		71	05-SEP-2007
M DOD-S-70338 NOT 2	Seal Ring, Metal, Metric General Specification for (No S/S Document) [CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD]	A	5330		IS	05-SEP-2007
M DOD-S-70338/1 NOT 3	Seal Ring, Copper, Metric (No S/S Document) [CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD]	A	5330		IS	05-SEP-2007
M DOD-S-70338/2 NOT 3	Seal Ring, Aluminum, Metric (No S/S Document) [CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD]	A	5330		IS	05-SEP-2007
M DOD-S-70338/3 NOT 3	Seal Ring, Steel, Metric (No S/S Document) [CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD]		5330		IS	05-SEP-2007
M SAE-AS8791/1	Retainer, Packing, Hydraulic and Pneumatic, Polytetrafluoroethylene, Single Turn (No S/S Document) [CUST: MR AS 99 IS]	A	5330		IS	05-SEP-2007
M A-A-1552A NOT 1	Primer Coating (Ferric Oxide, Aerosol) (No S/S Document)		8010	#	FSS	16-AUG-2007
M TT-E-506K(1) NOT 1	Enamel, Alkyd, Gloss, Tints and White (for Interior Use) (See Notice 1 for Replacement Information)	A	8010	#	FSS	10-AUG-2007

15-SEP-2007